




	No.			
	Type		ECL1016M	
h3 (mm)		Q (kg)		
1600		1000	1000	
c(mm)		600	700	




	No.			
	Type	ECL1020		
h3 (mm)		Q (kg)		
2000		1000	1000	
c(mm)		600	700	




	No.			
	Type	ECL1020M		
h3 (mm)		Q (kg)		
				
2000		1000	1000	
c(mm)		600	700	


I	No.			
	Type		ECL1029	
h3 (mm)		Q (kg)		
2900		1000	800	
2500		1000	800	
2000		1000	1000	
c(mm)		600	700	

	No.			
	Type		ECL1029M	
h3 (mm)		Q (kg)		
2900		1000	800	
2500		1000	800	
2000		1000	1000	
c(mm)		600	700	




	No.			
	Type		ECL1032	
h3 (mm)		Q (kg)		
				
3200		800	600	
2900		1000	800	
2500		1000	800	
2000	1000	1000		
c(mm)		600	700	

	No.			
	Type		ECL1032M	
h3 (mm)		Q (kg)		
3200		800	600	
2900		1000	800	
2500		1000	800	
2000		1000	1000	
c(mm)		600	700	



	No.			
	Type		ECL1035	
h3 (mm)		Q (kg)		
3500		600	500	
3200		800	600	
2900		1000	800	
2500		1000	800	
2000		1000	1000	
c(mm)		600	700	

I	No.			
	Type		ECL1035M	
h3 (mm)		Q (kg)		
				
3500		600	500	
3200		800	600	
2900		1000	800	
2500		1000	800	
2000	1000	1000		
c(mm)		600	700	